GRP ENCLOSURES & CABINET RANGE

Single Door Cabinets | Double Door Cabinets | Walk-In Enclosures | Apex Roof Enclosures



S SERIES
Single Door Cabinets



D SERIES
Double Door Cabinets



W1-W4
Flat Roof Walk-In



W5-W28
Apex Roof Walk-In

Think
Specify
Trust

THE WATER STORAGE SPECIALISTS

GRP WATER STORAGE SPECIALISTS
Manufacturing • Installation • Aftercare
Established 1973

01772 825 757
Sales@deccatanks.co.uk
www.deccatanks.co.uk
Victoria Mill, Lincoln Street, Preston, PR1 6RE

Decca Plastics Ltd | Registered in England & Wales | © 2026 Decca Plastics Ltd

Decca Plastics Limited
Product Brochure

Product Construction & Standard Features

A robust GRP enclosure system designed for durability, security and external environments.



Representative flat-roof walk-in enclosure

Core Product Features

- UV-stabilised external gel coat for resistance to weathering and fading.
- Half-hour fire-retardant internal resin layer.
- 18mm timber reinforcement to panels where required.
- 304 stainless-steel fittings for durability and corrosion resistance.
- Neoprene door seals resistant to UV exposure and frost.
- 18mm pre-mounted plywood backboard available within the enclosure.
- Integral bolt-down flanges for secure installation.
- Robust locking arrangements with optional three-point locking systems.



Stainless Hardware
Locks, bolts and fittings are specified in stainless steel.



Door Control
90° stainless-steel door stays are available; double-door units use a stay to each door.



Internal Backboard
Pre-mounted plywood backboards provide a practical internal mounting surface.

Options, Modifications & Finishes

Configure the enclosure around the equipment, access requirements and project environment.

Available Modifications

- Door stays
- Ventilation grilles
- Cable access
- Lifting eyes
- Alternative locking arrangements
- Electrical packages
- 12mm plywood panel construction
- Insulated panel options
- Walk-through configuration on applicable walk-in enclosures

Project-specific configuration
Final accessory positions, door arrangements and modifications should be confirmed at quotation and drawing approval stage.

Colour & Finish

Green 14 C 39
Standard green finish offered within the source range.

Grey 10 A 07
Standard grey finish offered within the source range.

Custom Colours
Alternative finishes can be specified from RAL or BS5252 colour ranges.

Locking Options


Hasp & Staple


Cylinder Night Latch


Three-Point Locking

304
STAINLESS STEEL 304 FITTINGS

12 MONTHS
12 MONTH WARRANTY

UV STABILISED GEL COAT FINISH

PRE-MOUNTED 18MM PLYWOOD BACKBOARD

Decca Plastics Limited
Product Brochure

S Series - Single Door Cabinets

Compact GRP cabinets for protected housing of equipment and services.



Range Highlights

- Single-door format with stainless-steel door stay.
- UV-stabilised external gel coat and fire-retardant internal resin layer.
- Neoprene door seals resist UV exposure and frost.
- 18mm pre-mounted plywood backboard.
- Integral bolt-down flanges.
- S1 is fitted with a key cam lock; locking arrangements vary across the range.

MODEL	CORE / VARIANT	DIMENSIONS (W x D x H)
S1	Single Skin	500 x 350 x 650 mm
S2	Single Skin	670 x 340 x 930 mm
S3	Single Skin	935 x 460 x 1140 mm
S5	Single Skin	750 x 400 x 1250 mm

Dimensions shown as Width x Depth x Height









Decca Plastics Limited
Product Brochure

D Series - Double Door Cabinets

Larger double-door cabinets offering improved access to housed equipment.



Range Highlights

- Double-door arrangement for wider equipment access.
- Stainless-steel 90° door stays fitted to both doors.
- Stainless-steel spring tower bolts.
- Hasp & staple cylinder night latch arrangements shown as standard.
- Optional three-point locking system.
- Plywood backboard and bolt-down flanges.

MODEL	CORE / VARIANT	DIMENSIONS (W x D x H)
D2	Single Skin	1190 x 600 x 1190 mm
D3	Single Skin	1510 x 615 x 1470 mm
D4	Single Skin	1750 x 745 x 1685 mm
D5	Single Skin	2010 x 845 x 1685 mm
D6	Single Skin	1200 x 500 x 2000 mm
D7	Single Skin	1200 x 1000 x 2000 mm

Dimensions shown as Width x Depth x Height






Decca Plastics Limited
Product Brochure

Flat Roof Walk-In Enclosures - W1 to W4

A compact walk-in range with 12mm plywood core configurations listed in the supplied literature.



Walk-In Features

- Double-door front access.
- Stainless-steel fittings and door hardware.
- Neoprene seals for weather protection.
- Internal plywood backboard.
- Integral bolt-down flanges.
- Optional ventilation, cable access, lifting eyes, locks and electrical packages.

MODEL	CORE / VARIANT	DIMENSIONS (W x D x H)
W1 / W1A	Single Skin / 12mm Ply Core	2000 x 500 x 2000 mm
W2 / W2A	Single Skin / 12mm Ply Core	2000 x 1000 x 2000 mm
W3 / W3A	Single Skin / 12mm Ply Core	2000 x 1500 x 2000 mm
W4 / W4A	Single Skin / 12mm Ply Core	2000 x 2000 x 2000 mm

Final configuration should be confirmed at quotation.






Decca Plastics Limited
Product Brochure

Apex Roof Walk-In Enclosures - W5 to W12

Apex roof format with 2500mm nominal height across the listed standard range.



Apex Range

- Apex roof design for larger walk-in enclosure requirements.
- 12mm plywood core listed across the standard models.
- Walk-through option available.
- Standard green or grey finishes with custom RAL / BS5252 colours available.
- Same hardware, sealing and modification options as the wider enclosure range.

MODEL	CORE / VARIANT	DIMENSIONS (W x D x H)
W5 / W5A	Single Skin / 12mm Ply Core	2500 x 2000 x 2500 mm
W6 / W6A	Single Skin / 12mm Ply Core	2500 x 2500 x 2500 mm
W7 / W7A	Single Skin / 12mm Ply Core	3000 x 3000 x 2500 mm
W8 / W8A	Single Skin / 12mm Ply Core	2500 x 1500 x 2500 mm
W9 / W9A	Single Skin / 12mm Ply Core	2500 x 3000 x 2500 mm
W10 / W10A	Single Skin / 12mm Ply Core	3000 x 1500 x 2500 mm
W11 / W11A	Single Skin / 12mm Ply Core	3000 x 2000 x 2500 mm
W12 / W12A	Single Skin / 12mm Ply Core	3000 x 2500 x 2500 mm

Dimensions shown as Width x Depth x Height.






Decca Plastics Limited
Product Brochure

Apex Roof Walk-In Enclosures - W13 to W28

Extended standard-size range, all listed with 12mm plywood core in the supplied literature.

W13 / W13A
3500 x 1500 x 2500 mm

W14 / W14A
3500 x 2000 x 2500 mm

W15 / W15A
3500 x 2500 x 2500 mm

W16 / W16A
3500 x 3000 x 2500 mm

W17 / W17A
3500 x 3500 x 2500 mm

W18 / W18A
3500 x 4000 x 2500 mm

W19 / W19A
4000 x 1500 x 2500 mm

W20 / W20A
4000 x 2000 x 2500 mm

W21 / W21A
4000 x 2500 x 2500 mm

W22 / W22A
4000 x 3000 x 2500 mm

W23 / W23A
4000 x 3500 x 2500 mm

W24 / W24A
4000 x 4000 x 2500 mm

W25 / W25A
2500 x 3500 x 2500 mm

W26 / W26A
2500 x 4000 x 2500 mm

W27 / W27A
3000 x 3500 x 2500 mm

W28 / W28A
3000 x 4000 x 2500 mm





Bespoke Requirements

- Custom colours from RAL or BS5252 ranges.
- Ventilation, cable entry and lifting-eye options.
- Alternative locking and electrical packages.
- Insulated panel options and walk-through configurations.

Decca Plastics Limited
Product Brochure

GRP ENCLOSURES & CABINET RANGE

Standard ranges. Bespoke options. Decca technical support.

Specifying Your Enclosure

- Select the preferred cabinet or walk-in range.
- Confirm required overall dimensions.
- Specify colour, core / insulation and internal backboard requirements.
- Confirm door, locking, ventilation, cable and electrical options.
- Finalise configuration through Decca quotation and project drawings.

Contact Decca

Decca Plastics Limited
Victoria Mill
Lincoln Street
Preston, Lancashire
PR1 6RE

01772 825757
sales@deccatanks.co.uk
www.deccatanks.co.uk

IMPORTANT PRODUCT NOTE

Product images and technical details in this brochure are representative of the current supply range provided to Decca. Final specification, availability, finish, options and delivery requirements are subject to Decca quotation and order confirmation.

Where Experience Meets Excellence

SCAN TO GET IN TOUCH

BRITISH MANUFACTURER | WRAS APPROVED PRODUCT | CfA ISO 9001 19/0133 | UKAS MANAGEMENT SYSTEMS 0120 | SSIP | CHAS Accredited Contractor CHAS.co.uk | APPROVED Constructionline Gold Member